Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
\$9	634	228/103.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/15 13:24
S10	543	228/49.1.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/15 13:24
S11	140	228/49.2.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/15 13:34
S12	. 76	228/49.4.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/15 13:25
S13	9	S10 and sensor and pivot near20(arm or point)	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/15 13:36

S14	406	228/47.1.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 11:37
S15	283	228/49.5.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 12:55
S16	684	S14 or S15	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 11:25
S20	2	weld\$3 same fixture same (pivot near5 arm)same spring same sensor	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ΟÑ	2005/11/16 11:29
S21	36	weld\$3 same (pivot near5 arm)same spring same sensor	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 11:29

S24	1190	219/121.63.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:10
S25	1700	219/121.64.ccls.	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:10
S26	2514	S24 or S25	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:10
S30	3	S26 and weld same fixture same hold\$3 same sensor	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:13
S34	18769	"269"/\$	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:15
S37	4	S34 and weld same pivot same block	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:18

S41	1258	S34 and SAW	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR ,	ON	2005/11/16 13:20
S42	12	S41 and nest same base	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:22
S43	703	S34 and weld\$3 and fixture	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:23
S44	368	S34 and weld\$3 same fixture	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:39
S47	32	S34 and weld\$3 same fixture same pivot	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/16 13:43

S51	10	(("6571638") or ("6484585") or ("6450021") or ("6259360") or ("6218936") or ("6079276") or ("5821425") or ("4978941") or ("4454440") or ("4216401")).PN.	US-PGP UB; USPAT	OR	OFF	2005/11/17 12:23
S53	22	("3739315" "3753196" "3764950" "3878477" "3978731").PN. OR ("4216401").URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2005/11/17 12:32
S56	11	(SAW or suface adj acaustic adj wave) same quartz same weld\$3 same (fixture or hold\$3 or clamp or jig or table or strcuture)	US-PGP UB; USPAT; USOCR	OR	ON	2005/11/17 12:46
S58	6006	(pivot adj arm or holder) same copper	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 12:51
S59	2645	((pivot adj arm) or holder) with copper	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 12:52
S60	18	(pivot adj arm) with copper	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 13:53

S66	21	copper with (dissipat\$3 or spread\$3 or sink or extract\$3) with heat with arm	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:03
S67	19	("1904241" "3686456" "3778576" "4374311" "4375021" "4503191" "4645891" "4733033" "4733211" "4736174" "4757294" "4782583" "4789848").PN. OR ("4999464").URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2005/11/17 14:03
S71	10	S67 and copper	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:05
S72	80	weld\$3 with fixture with copper	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:15
S73	24	S72 and (arm or insert)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:06

S75	6	weld\$3 with fixture with copper same (dissipat\$3 or spread\$3 or sink or extract\$3)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:16
S76	690	weld\$3 same (fixture or hold\$3) same copper same (dissipat\$3 or spread\$3 or sink or extract\$3)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:20
S77	10	weld\$3 near50 (fixture or hold\$3) near50 copper near50 (dissipat\$3 or spread\$3 or sink or extract\$3)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 14:17
S78	27	weld\$3 same (fixture or hold\$3) with copper with (dissipat\$3 or spread\$3 or sink or extract\$3)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 16:03
S87	46	269/86.ccls.	US-PGP UB; USPAT	OR	ON	2005/11/17 16:23
S88	127	269/100.ccls.	US-PGP UB; USPAT	OR	ON	2005/11/17 16:31
S89	553	269/238.ccls.	US-PGP UB; USPAT	OR	ON	2005/11/17 17:41

S90	720	S87 or S88 or S89	US-PGP UB; USPAT	OR	ON	2005/11/17 16:23
S93	4	S90 and base and (pivot adj arm)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 16:25
S95	11	S90 and weld\$3 same (nest or aperture or socket)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 16:33
S96	17	("4500079" "4655445" "4801225" "4896086" "4968012" "5026033" "5044616" "5226638" "5362036" "5415383" "5481811" "5516089" "5918868" "6171540" "D439137" "D443810"). PN. OR ("6364302"). URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2005/11/17 16:45
\$97	1848	weld\$3 same (fixture or holder or position\$3) same pivot same (tension near20 spring) same(nest or aperture or slot) same pins	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:05

S99	28	S97 and arm same copper same screw	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 16:50
S10 2	8	weld\$3 with (fixture or holder or position\$3) with pivot same (tension near20 spring) with(nest or aperture or slot) same pins	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17
S10 9	2	weld\$3 same (fixture or holder or position\$3) with nest with pivot adj arm	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:12
S11 0	22	weld\$3 same (fixture or holder or position\$3) with (slot or aperture) with pivot adj arm	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:14
S11 1	4	weld\$3 adj (fixture or holder or position\$3) same (slot or aperture) with pivot adj arm	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:14

S11 3	2311	(fixture or holder or position\$3) same (slot or aperture) same pivot adj arm	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:15
S11 4	1154	S113 and (join\$3 or weld\$3 or braz\$3 or solder\$3)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:16
S11 5	155	S114 and tension adj spring	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/17 17:16
S11 6	41	S89 and weld\$3	US-PGP UB; USPAT	OR	ON	2005/11/17 17:41